FEATURES:

- •pint container
- •for wood items that contact food
- •use on raw wood or over stains
- •a non-toxic finish when cured
- •low odor
- •dishwasher safe
- ·easy to apply just wipes on with a rag
- clean up with mineral spirits
- dries dust free
- re-apply additional coats at any time if maintenance becomes necessary

APPLICATION:

This finish is recommended as a top coat for wood salad bowls, wood utensils, butcher blocks, etc.

SPECIFICATIONS:

Application: clean soft cloth

Drying Time: 6 to 12 hrs. between coats

Color: clear

Solvent: mineral spirits

% Volatile: N/A Boiling Range: 230° F

Flash Point: 105° F Freezing: N/A

Shelf Life: 12 months or longer if cool

SAFETY DATA

CAUTION! Contains petroleum distillate's, do not use near heat or flames. If swallowed, do not induce vomiting. CALL PHYSICIAN IMMEDIATELY. Keep out of reach of children. Avoid frequent or prolonged contact with skin. Use only in well ventilated area.

INSTRUCTIONS:

- 1. San wood with #220 or finer sandpaper.
- 2. Using a clean soft cloth, apply a thin even coat of Salad Bowl Finish and with the same cloth wipe evenly with the grain. Optional: When applying to projects on the lathe, wipe on a thin even coat, then use #400 wet or dry sandpaper to "wet sand" first coat into the wood. Use a clean cloth to buff off the excess.
- 3. Allow to dry 6 to 12 hours.
- Buff lightly with 0000 steel wool or #400 or finer sandpaper before applying another coat.
- Additional coats may be applied in the same manner to give added depth and luster while increasing durability.
- 6. A minimum of 3 coats is recommended.
- 7. Allow 72 hours of drying time prior to use with food.

Clean up with mineral spirits.